ELSEVIER

International Journal of Mass Spectrometry 178 (1998) 221

International Journal of Mass Spectrometry

Author index

Appelhans, A.D., 9, 19, 187

Barshick, C.M., 31, 73
Barshick, S.-A., 31
Benjamin, T.M., 113
Brito Neto, J.G.A., 129
Britt, P.F., 31

Catoire, V., 161
Cisper, M.E., 121

Dahl, D.A., 187
Dai, Z.G., 205
Dang, H.J., 205
De Laeter, J.R., 1, 43
Delmore, J.E., 9
do Lago, C.L., 129
Duan, Y.X., 121
Duckworth, D.C., 51

Efurd, D.W., 113
Eyler, J.R., 73

Garrett, A.W., 121
Goodner, K.L., 73
Greenwood, J.P., 65
Gresham, G.L., 19
Groenewold, G.S., 19
Guimbaud, C., 161

Han, Z.H., 205
Hansel, A., L1
Hemberger, P.H., 121
Holzinger, R., L1

Ingram, J.C., 19
Inkret, W.C., 113

Jordan, A., L1
Juliano, V.F., 129

Kallenbach, N.R., 143
Karl, T., L1
Kennedy, A.K., 43

Labonnette, D., 161
Lake, D.A., 31
Laude, D.A., 173
Lindinger, W., L1

Miller, G., 113
Moraes, M.C.B., 129
Morozov, V.N., 143
Morozova, T.Y., 143

Olivares, J.A., 121

Paterson, B.A., 81
Peterson, E.S., 9
Prazeller, P., L1
Pretty, J.R., 51

Qin, Q.Z., 205

Riciputi, L.R., 65, 81
Ripperdan, R.L., 81
Rokop, D.J., 113

Shaw, A.D., 19

Thomas, R., 161

Van Berkel, G.J., 51
Vance, M.A., 31
Vartanian, V.H., 173

Walsh, E.B., 31
Wang, L., 213
Watson, C.H., 73

Xiao, Y.K., 213

ELSEVIER

International Journal of Mass Spectrometry 178 (1998) 223–226

International Journal of Mass Spectrometry

Subject index

Adsorptive stripping voltammetry
Adsorptive stripping voltammetry as a sample pretreatment method for trace uranium determinations by inductively coupled plasma mass spectrometry, 51
Angular distribution
Characterization of laser ablated species from a La–Ca–Mn–O target by angle- and time-resolved mass spectrometry, 205
Atmospheric analysis
Atmospheric analysis using a microwave plasma ionization source and ion trap mass spectrometry, 121
Atomic force microscopy (AFM)
Atomic force microscopy of structures produced by electrospraying polymer solutions, 143
Atomic masses
Al Nier's contribution to atomic weights, 1
Atomic weights
Al Nier's contribution to atomic weights, 1

Boron
Effect of NO_3^- on the isotopic measurement of boron, 213
Breath acetonitrile concentrations
Quantification of passive smoking using proton-transfer-reaction mass spectrometry, L1
Breath analysis
Quantification of passive smoking using proton-transfer-reaction mass spectrometry, L1

Carbon
Measurement of light stable isotope ratios by SIMS: Matrix effects for oxygen, carbon, and sulfur isotopes in minerals, 81
Chemical alkylation
Development of a technique for the analysis of inorganic mercury salts in soils by gas chromatography/mass spectrometry, 31
Chemometrics
Eliminating the interference of M-nH ions in isotope patterns from low-resolution mass spectra, 129
Cluster ions
Characterization of copper chloride cluster ions formed in secondary ion mass spectrometry, 19
Colossal magnetoresistance (CMR)
Characterization of laser ablated species from a La–Ca–Mn–O target by angle- and time-resolved mass spectrometry, 205
Copper chloride
Characterization of copper chloride cluster ions formed in secondary ion mass spectrometry, 19

Double focusing
Al Nier's contribution to atomic weights, 1
A double focusing mass spectrometer for geochronology, 43
Double stranded DNA
Atomic force microscopy of structures produced by electrospraying polymer solutions, 143

Electrospray ionization
Atomic force microscopy of structures produced by electrospraying polymer solutions, 143
Elemental
Development of a technique for the analysis of inorganic mercury salts in soils by gas chromatography/mass spectrometry, 31

Flowing afterglow
High-pressure flowing-afterglow setup validated by the study of the $CO_3^- + HNO_3$ reaction, 161
Fourier transform ion cyclotron resonance (FTICR)
Motional averaging of ions for control of magnetron motion in Fourier transform ion cyclotron resonance open-geometry trapped-ion cells, 173
Fourier-transform ion cyclotron resonance (FTICR)
Application of glow discharge Fourier-transform ion cyclotron resonance mass spectrometry to isotope ratio measurements, 73

Gas chromatography/mass spectrometry
Development of a technique for the analysis of inorganic mercury salts in soils by gas chromatography/mass spectrometry, 31

Geochronology
A double focusing mass spectrometer for geochronology, 43
Glow discharge mass spectrometry (GDMS)
Application of glow discharge Fourier-transform ion cyclotron resonance mass spectrometry to isotope ratio measurements, 73

High resolution
Application of glow discharge Fourier-transform ion cyclotron resonance mass spectrometry to isotope ratio measurements, 73
HNO_3
High-pressure flowing-afterglow setup validated by the study of the CO_3^- + HNO_3 reaction, 161

Inductively coupled plasma mass spectrometry
Adsorptive stripping voltammetry as a sample pretreatment method for trace uranium determinations by inductively coupled plasma mass spectrometry, 51
Inorganic analysis
Development of a technique for the analysis of inorganic mercury salts in soils by gas chromatography/mass spectrometry, 31
Interference of NO_3^- ion
Effect of NO_3^- on the isotopic measurement of boron, 213
Iodide
Mechanisms for anion emission from the Eu_2O_3 matrix, 9
Ion emitters
Mechanisms for anion emission from the Eu_2O_3 matrix, 9
Ion injection
Atmospheric analysis using a microwave plasma ionization source and ion trap mass spectrometry, 121
Ion microprobe
Analysis of sulfur and carbon isotope ratios in mixed matrices by secondary ion mass spectrometry: Implications for mass bias corrections, 65
Measurement of light stable isotope ratios by SIMS: Matrix effects for oxygen, carbon, and sulfur isotopes in minerals, 81
Ion/molecule reaction
High-pressure flowing-afterglow setup validated by the study of the CO_3^- + HNO_3 reaction, 161
Ion optics
Sample charge compensation via self-charge-stabilizing ion optics, 187
Ion trap
Atmospheric analysis using a microwave plasma ionization source and ion trap mass spectrometry, 121
Characterization of copper chloride cluster ions formed in secondary ion mass spectrometry, 19
Sample charge compensation via self-charge-stabilizing ion optics, 187
Isobaric interference
Eliminating the interference of M-nH ions in isotope patterns from low-resolution mass spectra, 129
Isotope pattern
Eliminating the interference of M-nH ions in isotope patterns from low-resolution mass spectra, 129
Isotope ratio
Atmospheric analysis using a microwave plasma ionization source and ion trap mass spectrometry, 121
Isotope ratio measurements
Application of glow discharge Fourier-transform ion cyclotron resonance mass spectrometry to isotope ratio measurements, 73
Isotope ratios
Analysis of sulfur and carbon isotope ratios in mixed matrices by secondary ion mass spectrometry: Implications for mass bias corrections, 65
Measurement of light stable isotope ratios by SIMS: Matrix effects for oxygen, carbon, and sulfur isotopes in minerals, 81
Isotopes
Al Nier's contribution to atomic weights, 1
Isotopic bias
Application of glow discharge Fourier-transform ion cyclotron resonance mass spectrometry to isotope ratio measurements, 73
Isotopic measurement
Effect of NO_3^- on the isotopic measurement of boron, 213

La–Ca–Mn–O
Characterization of laser ablated species from a La–Ca–Mn–O target by angle- and time-resolved mass spectrometry, 205
Laser ablation
Characterization of laser ablated species from a La–Ca–Mn–O target by angle- and time-resolved mass spectrometry, 205
Low-resolution mass spectrometry
Eliminating the interference of M-nH ions in isotope patterns from low-resolution mass spectra, 129

Magnetron motion
Motional averaging of ions for control of magnetron motion in Fourier transform ion cyclotron resonance open-geometry trapped-ion cells, 173
Mass bias
Analysis of sulfur and carbon isotope ratios in mixed matrices by secondary ion mass spectrometry: Implications for mass bias corrections, 65

Measurement of light stable isotope ratios by SIMS: Matrix effects for oxygen, carbon, and sulfur isotopes in minerals, 81
Mass spectrometer
Al Nier's contribution to atomic weights, 1
A double focusing mass spectrometer for geochronology, 43
Mass spectrometry
Applications of thermal ionization mass spectrometry to the detection of ^{239}Pu and ^{240}Pu intakes, 113
Characterization of laser ablated species from a La–Ca–Mn–O target by angle- and time-resolved mass spectrometry, 205
Matrix effects
Analysis of sulfur and carbon isotope ratios in mixed matrices by secondary ion mass spectrometry: Implications for mass bias corrections, 65
Measurement of light stable isotope ratios by SIMS: Matrix effects for oxygen, carbon, and sulfur isotopes in minerals, 81
Matrix elimination
Adsorptive stripping voltammetry as a sample pretreatment method for trace uranium determinations by inductively coupled plasma mass spectrometry, 51
Mechanisms
Mechanisms for anion emission from the Eu_2O_3 matrix, 9
Mercury compounds
Development of a technique for the analysis of inorganic mercury salts in soils by gas chromatography/mass spectrometry, 31
Microwave plasma ionization
Atmospheric analysis using a microwave plasma ionization source and ion trap mass spectrometry, 121
M-nH ions
Eliminating the interference of M-nH ions in isotope patterns from low-resolution mass spectra, 129

Open cell
Motional averaging of ions for control of magnetron motion in Fourier transform ion cyclotron resonance open-geometry trapped-ion cells, 173
Oxygen
Measurement of light stable isotope ratios by SIMS: Matrix effects for oxygen, carbon, and sulfur isotopes in minerals, 81

Passive smoking
Quantification of passive smoking using proton-transfer-reaction mass spectrometry, L1
Perrhenate
Mechanisms for anion emission from the Eu_2O_3 matrix, 9
Plutonium
Applications of thermal ionization mass spectrometry to the detection of ^{239}Pu and ^{240}Pu intakes, 113
Plutonium bioassay
Applications of thermal ionization mass spectrometry to the detection of ^{239}Pu and ^{240}Pu intakes, 113
Plutonium intake estimation
Applications of thermal ionization mass spectrometry to the detection of ^{239}Pu and ^{240}Pu intakes, 113
Polymers
Atomic force microscopy of structures produced by electrospraying polymer solutions, 143
Preconcentration
Adsorptive stripping voltammetry as a sample pretreatment method for trace uranium determinations by inductively coupled plasma mass spectrometry, 51
Propyl gallate
Adsorptive stripping voltammetry as a sample pretreatment method for trace uranium determinations by inductively coupled plasma mass spectrometry, 51
Proton-transfer-reaction mass spectrometry (PTR-MS)
Quantification of passive smoking using proton-transfer-reaction mass spectrometry, L1

Radial electric field
Motional averaging of ions for control of magnetron motion in Fourier transform ion cyclotron resonance open-geometry trapped-ion cells, 173

Sample charging
Sample charge compensation via self-charge-stabilizing ion optics, 187
Secondary ion mass spectrometry (SIMS)
Analysis of sulfur and carbon isotope ratios in mixed matrices by secondary ion mass spectrometry: Implications for mass bias corrections, 65
Characterization of copper chloride cluster ions formed in secondary ion mass spectrometry, 19
Measurement of light stable isotope ratios by SIMS: Matrix effects for oxygen, carbon, and sulfur isotopes in minerals, 81
Sample charge compensation via self-charge-stabilizing ion optics, 187
Single stranded DNA
Atomic force microscopy of structures produced by electrospraying polymer solutions, 143
Stratosphere
High-pressure flowing-afterglow setup validated by the study of the CO_3^- + HNO_3 reaction, 161
Sulfur
Analysis of sulfur and carbon isotope ratios in mixed matrices by secondary ion mass spectrometry: Implications for mass bias corrections, 65

Measurement of light stable isotope ratios by SIMS: Matrix effects for oxygen, carbon, and sulfur isotopes in minerals, 81
Surface ionization
Mechanisms for anion emission from the Eu_2O_3 matrix, 9

Tandem mass spectrometry (MS/MS)
Characterization of copper chloride cluster ions formed in secondary ion mass spectrometry, 19
Thermal ionization
Mechanisms for anion emission from the Eu_2O_3 matrix, 9

Unified scale
Al Nier's contribution to atomic weights, 1
Uranium
Adsorptive stripping voltammetry as a sample pretreatment method for trace uranium determinations by inductively coupled plasma mass spectrometry, 51